

















INTRODUCTION

Your clean air partners for over 28 years, ACE fans are the trusted solution for refreshing and revitalising your space. With our focus on innovation, our new line of products is built to exceed your expectations. Whether your are looking to clear the smoke from your kitchen or freshen up your office, our superior technology ensures maximum airflow with minimum noise.

We are committed to sustainability and efficiency so you can enjoy clean air without worrying about energy bills. Backed by our decades of experience we are here to help you breathe easy. Chose ACE and experience the difference.

With an annual production capacity of about a quarter million fans across exhaust fans, wall fans, table fans and pedestal fans we are equipped with cutting edge technology and a skilled workforce, we ensure that every fan we produce meets the highest standard of quality and reliability.

MANUFACTURING PROCESS

Moulding:-

Our in house moulding section is equipped with multiple latest injection moulding machines which are energy efficient, high precision and stable.

Motor:-

Our motor section is equipped with automatic winding machines.

We are known for using 100% copper winding for each and every motor and CRNO stampings for exhaust fans.

Plastic:

We use PPCP, ABS and virgin polymers using master batches for various colours.



PEDESTAL FANS





AVAILABLE COLOURS













| BLADE SIZE | WATTS | RPM | CMM |
|-------------|-------|------|-----|
| 300MM (12") | 90 | 2200 | 65 |
| 400MM (16") | 110 | 2000 | 110 |

Heavy ABS base for sturdy balance








TABLE FANS







| BLADE SIZE | WATTS | RPM | CMM |
|-------------|-------|------|-----|
| 300MM (12") | 90 | 2200 | 65 |
| 400MM (16") | 110 | 2000 | 110 |















COMPAQ WALL FAN







BLACK SILVER

| BLADE SIZ | E V | VATTS | RPM | CMM |
|-----------|-----|-------|------|-----|
| 225MM (9 | ") | 75 | 2200 | 50 |
| 300MM (12 | 2") | 90 | 2200 | 65 |
| 400MM (16 | 5") | 110 | 2000 | 110 |















TWIN WALL FAN **WALL CUM TABLE**









| BLADE SIZE | WATTS | RPM | CMM |
|-------------|-------|------|-----|
| 225MM (9") | 75 | 2200 | 50 |
| 300MM (12") | 90 | 2200 | 65 |















CABIN FAN









WHITE

| BLADE SIZE | WATTS | RPM | CMM |
|-------------|-------|------|-----|
| 225MM (9") | 75 | 2200 | 50 |
| 300MM (12") | 90 | 2200 | 65 |
| 400MM (16") | 90 | 1800 | 100 |















CROWN GRILL ROTO CABIN FAN









WHITE

BROWN

| BLADE SIZE | WATTS | RPM | CMM |
|-------------|-------|------|-----|
| 300MM (12") | 65 | 1500 | 58 |















SURFACE



Washroom Exhaust Fan

















| MODEL | Α | В | C | D | Ε | |
|--------------------------------|-----|----|-----|-----|-----|--|
| SURFACE | 250 | 18 | 126 | 208 | 250 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|-------------|-------|------|-----|-----|------------------|
| 115MM(4.5") | 25 | 1350 | 110 | 172 | SQUARE (8" X 8") |





AUTO SHUTTERS Washroom Exhaust Fan























| MODEL | Α | В | С | D | Е | |
|--------------------------------|-----|----|----|-----|-----|--|
| 6" AUTO SHUTTERS | 209 | 58 | 82 | 154 | 209 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|-------------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 25 | 2000 | 150 | 270 | CIRCULAR (6.2") 160MM |





MAGIK Was **Washroom Exhaust Fan**

























| MODEL | Α | В | С | D | Ε | |
|--------------------------------|-----|----|----|-----|-----|--|
| MAGIK | 178 | 27 | 84 | 150 | 178 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 23 | 1900 | 58 | 76 | CIRCULAR (6.2") 160MM |





TANGENT Washroom Exhaust Fan









IVORY














| MODEL | Α | В | C | D | Е | | | | |
|---------------|--------------------------------|---|---|---|-----|--|--|--|--|
| 4" TANGENT | | | | | 130 | | | | |
| 6" TANGENT | 6" TANGENT 178 10 84 150 178 | | | | | | | | |
| ALL DIMENSION | ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 100MM(4") | 20 | 2400 | 85 | 130 | CIRCULAR (4.5") 115MM |
| 150MM(6") | 23 | 2000 | 136 | 247 | CIRCULAR (6.2") 160MM |





TANGENT PLUS



Washroom Exhaust Fan




















GOLD



WHITE



BLACK



| MODEL | Α | В | C | D | Ε | | | |
|--------------------------------|-----|----|-----|-----|-----|--|--|--|
| 6"TANGENT | 178 | 10 | 100 | 150 | 178 | | | |
| PLUS | | | | | | | | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 17 | 2200 | 142 | 254 | CIRCULAR (6.2") 160MM |
| | | | | | |







RADIANT Washroom Exhaust Fan
























GOLDEN

WHITE



| MODEL | Α | В | С | D | Е | | |
|--------------------------------|-----|----|-----|-----|-----|--|--|
| RADIANT | 193 | 33 | 120 | 147 | 193 | | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 23 | 1900 | 58 | 76 | CIRCULAR (6.2") 160MM |





RADIANT PLUS Washroom Exhaust Fan




















| MODEL | Α | В | С | D | Е | | | | |
|--------------|------|--------------------------------|-----|-----|-----|--|--|--|--|
| RADIANT PLUS | 193 | 33 | 138 | 147 | 193 | | | | |
| ALL DIMENSI | ONS. | ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 17 | 2000 | 62 | 81 | CIRCULAR (6.2") 160MM |





IRIS Washroom Exhaust Fan



IVORY


















| MODEL | Α | В | С | D | Е | | |
|--------------------------------|-----|----|----|-----|-----|--|--|
| IRIS | 208 | 18 | 85 | 155 | 208 | | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|-----------------------|
| 150MM(6") | 23 | 1900 | 58 | 76 | CIRCULAR (6.2") 160MM |











Washroom & Kitchen Exhaust Fan

BLACK


















| MODEL | Α | В | U | D | Е | | | | |
|--------------------------------|-----|----|----|-----|-----|--|--|--|--|
| SILENT FLO 6" | 234 | 30 | 88 | 192 | 234 | | | | |
| SILENT FLO 8" | 291 | 36 | 90 | 243 | 291 | | | | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | | | |
| | | | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|----------------------|
| 150MM(6") | 30 | 1400 | 138 | 200 | SQUARE (7.5" X 7.5") |
| 200MM(8") | 33 | 1400 | 268 | 450 | SQUARE (9.5" X 9.5") |





MAX

Washroom & Kitchen Exhaust Fan

























| MODEL | Α | В | С | D | Е | |
|--------------------------------|-----|----|----|-----|-----|--|
| MAX 6" | 234 | 30 | 88 | 192 | 234 | |
| MAX 8" | 291 | 36 | 90 | 243 | 291 | |
| MAX 10" | 335 | 50 | 73 | 280 | 335 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|------|----------------------|
| 150MM(6") | 40 | 2400 | 153 | 222 | SQUARE (7.5" X 7.5") |
| 200MM(8") | 45 | 2000 | 308 | 518 | SQUARE (9.5" X 9.5") |
| 250MM(10") | 70 | 1700 | 687 | 1277 | SQUARE (11" X 11") |





TRUMP

Washroom & Kitchen Exhaust Fan



AVAILABLE COLOURS













100% COPPER WINDING IN MOTORS



IVORY

WHITE





| | _ | | | | |
|-------------|-----|----|----|-----|-----|
| MODEL | Α | В | C | D | Ε |
| TRUMP 5.5"A | 216 | 37 | 86 | 148 | 216 |
| TRUMP 5.5"B | 216 | 37 | 86 | 172 | 216 |
| TRUMP 6" | 235 | 46 | 88 | 192 | 235 |
| TRUMP 7.5" | | | | | 275 |
| TRUMP 8" | 295 | 50 | 90 | 243 | 295 |

ALL DIMENSIONS ARE IN M.M. ACE

| | BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|---|----------------------|-------|------|-----|-----|----------------------|
| * | 140MM(5.5") A | 23 | 2000 | 85 | 130 | SQUARE (6"X 6") |
| * | 140MM(5.5") B | 23 | 2000 | 85 | 130 | SQUARE (7" X 7") |
| | 150MM(6") | 40 | 2400 | 153 | 222 | SQUARE (7.5" X 7.5") |
| | 190MM(7.5") | 40 | 2000 | 250 | 350 | SQUARE (9" X 9") |
| | 200MM(8") | 45 | 2000 | 308 | 518 | SQUARE (9.5" X 9.5") |

* APPLICATION BATHROOM AND WASHROOM ONLY

















IVORY

BROWN















WHITE





| MODEL | Α | В | С | D | Е | |
|--------------------------------|-----|----|----|-----|-----|--|
| 7.5" CURVE | 275 | 35 | 95 | 220 | 275 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|-------------|-------|------|-----|-----|------------------|
| 190MM(7.5") | 40 | 2000 | 250 | 350 | SQUARE (9" X 9") |
























| MODEL | Α | В | С | D | Е | |
|--------------------------------|-----|----|----|-----|-----|--|
| 8" MARVEL | 275 | 52 | 91 | 219 | 275 | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|------------|-------|------|-----|-----|------------------|
| 200MM(8") | 40 | 2000 | 308 | 518 | CIRCULAR (9") |








KAPPU

Washroom & Instrument Cooling Exhaust Fan





| MODEL | Α | В | C | О | Е | | | |
|--------------------------------|-----|---|----|-----|-----|--|--|--|
| KAPPU 4.5" | 120 | 5 | 39 | 119 | 120 | | | |
| KAPPU 6" | 170 | 5 | 45 | 155 | 170 | | | |
| ALL DIMENSIONS ARE IN M.M. ACE | | | | | | | | |

| BLADE SIZE | WATTS | RPM | CFM | CMH | OPENING REQUIRED |
|-------------|-------|------|-----|-----|------------------------|
| 115MM(4.5") | 20 | 2640 | 85 | 130 | CIRCULAR (4.75") 121MM |
| 150MM(6") | 30 | 2500 | 136 | 247 | CIRCULAR (6.25") 160MM |

SPEEDEX

All Purpose Exhaust Fan











| BLADE SIZE | WATTS | RPM | CFM | CMH |
|------------|-------|------|-----|------|
| 225MM (9") | 70 | 2200 | 778 | 1294 |

















Cylindrical grinding process of rotors for 100% accuracy with tolerance achieved in microns.



Testing at all levels for each and every ACE fan.



Reference Table For ACE EXHAUST Fans

| FAN MODEL | IDEAL AREA COVERED | APPLICATION | |
|----------------|--------------------|--------------------|---|
| | | | |
| 4" KAPPU | < 30 SQ. FT. | WASHROOM | |
| 6" KAPPU | < 50 SQ. FT. | WASHROOM | |
| 4" TANGENT | < 30 SQ. FT. | WASHROOM | |
| 6" TANGENT | < 50 SQ. FT. | WASHROOM | |
| 6" MAGIK | < 40 SQ. FT. | WASHROOM | |
| 6" IRIS | < 40 SQ. FT. | WASHROOM | |
| 6" AUTOSHUTTER | < 40 SQ. FT. | WASHROOM | |
| 6" RADIANT | < 40 SQ. FT. | WASHROOM | |
| SURFACE | < 50 SQ. FT. | WASHROOM | |
| 6" MAX | < 100 SQ. FT. | KITCHEN | |
| 10" MAX | < 120 SQ. FT. | KITCHEN | |
| 5.5" TRUMP | < 40 SQ. FT. | WASHROOM | |
| 6" TRUMP | < 100 SQ. FT. | KITCHEN | |
| 8" TRUMP | < 120 SQ. FT. | KITCHEN | |
| 7.5" CURVE | < 110 SQ. FT. | KITCHEN | |
| 8" MARVEL | < 110 SQ. FT. | KITCHEN | |
| 9" SPEEDEX | < 120 SQ. FT. | ALL PURPOSE | |
| Silent flo 6" | < 80 SQ. FT. | KITCHEN & WASHROOM | |
| Silent flo 8" | < 100 SQ. FT. | KITCHEN & WASHROOM | Ī |
| | | | |